

Aa

Notice of Allowability	Application No.	Applicant(s)
	09/678,836	SUNG ET AL.
	Examiner	Art Unit

Kevin Mew 2664

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. This communication is responsive to 11/25/2005.
2. The allowed claim(s) is/are 1, 3, 5-9, 11-13, 15, 19-22, 24-27, which have been renumbered as claims 1-19, respectively.
3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) All
 - b) Some*
 - c) None
 of the:
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) hereto or 2) to Paper No./Mail Date _____.
 - (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

an2
 Ajit Patel
 Primary Examiner

Attachment(s)

1. Notice of References Cited (PTO-892)
2. Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. Information Disclosure Statements (PTO-1449 or PTO/SB/08),
 Paper No./Mail Date _____
4. Examiner's Comment Regarding Requirement for Deposit
 of Biological Material
5. Notice of Informal Patent Application (PTO-152)
6. Interview Summary (PTO-413),
 Paper No./Mail Date _____.
7. Examiner's Amendment/Comment
8. Examiner's Statement of Reasons for Allowance
9. Other _____.

Detailed Action

Response to Amendment

1. Applicant's remarks/arguments filed on 11/25/2005 regarding claims 1, 3, 5-9, 11-13, 15, 19-22 and 24-27 have been considered. Claims 1, 3, 5-9, 11-13, 15, 19-22 and 24-27 are currently pending. Claims 2, 4, 10, 14, 16-18 and 23 have been canceled by applicant.

2. Acknowledgement is made of the amended claims 19, 21 with respect to the claim objections set forth in the previous Office Action. The corrections are acceptable and the claim objections on these claims have been withdrawn.

EXAMINER'S STATEMENT OF REASONS FOR ALLOWANCE

3. The following is an examiner's statement of reasons for allowance:

The present application relates to providing a method for acquiring multi-user signal synchronization in a CDMA system, including the unique functions of:

“wherein the prescribed time of alignment of the plurality of CDMA transmitters is greater than zero, and less than the difference of a dividend of a period of one frame divided by the number of CDMA transmitters minus a time taken for loading the transmitted signals to all taps included in the matched filter.”

The closest prior art, Masui (USP 6,570,865), discloses a CDMA communication system wherein a plurality of base stations spreads the pilot signal with a spreading code PN having a suitable PN sequence period, and a CDMA transceiver comprises a short code matched filter that

realizes fast synchronization in the period of a PN sequence by varying a plurality of delayed tap coefficients. However, Masui fails to anticipate or render obvious the above quoted limitations of the present application. This renders the claims allowable.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kevin Mew whose telephone number is 571-272-3141. The examiner can normally be reached on 9:00 am - 5:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Wellington Chin can be reached on 571-272-3134. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

AP
Ajit Patel
Primary Examiner